

Macchina tampografica Pad printing machine

S/T 90 c/2




www.ser-tec.org



Macchina tampografica Mod. S/T 90 C/2

Pad printing machine Mod. S/T 90 C/2





Specifiche tecniche:

Dimensione clichè:100 x 250 mm.

Con tazza D. 90

Diametro delle tazza: D.90

Dimensione massima di stampa:

Diam. 80 mm con tazza D.90

Velocità di stampa corse minime

circa: 1200 pezzi/ora

Consumo aria: 150 NL/min

Pressione di stampa a 6 bar: N. 1100

Voltaggio alimentazione: Volt 230 / 50 monofase

Dimensioni: 600 x 700x 1400

Peso: Kg 200

Alimentazione: 380/220 50 hz pressione d' esercizio: 6/8 bar

Machine realized with stainless structure to print medium sized pieces, 2 colors.

Equipped with 2 cups D90.

It's possible to mount 1 D.135 cup and 1 D.90 cup. Small elevation for support pieces to be printed, with regulation in height and cross movement X,Y and rotation. Selection of wait time by keyboard.

Keyboard with piece count single cicle and automatic. Sigle cicle with start pulse from ketboard or pedal.

Trasverse movement of pads.

Pad carrier group with cross movement.

Manual race and speed regulation.

Technical specifications:

Manufacturing in steel

Table with microregistrations x,y,z

Timer for waiting start cycle

Counter

Panel control: Cycle manu/auto
Pads with microregistrations system
Movements. Electro-pneumatic
Speed and Runs: Adjustable
Cliches size: 100x250 (Ink 90)

150x300 (lnk 135)

Print size: 75 x 45 (Ink 90)

120 x 75 (lnk 135)

Speed: 1200 cycle/hour

Weigth: Kg 200

Dimension:600 x700 x 1400 H

Ser.Tec - Via Emilio Salgari, 14/E 31056 Roncade (TV) Tel. +39 (0)422 798184 Fax +39 (0)422 799711

e-mail:info@ser-tec.org - www.ser-tec.org

Dealer

